


TOL#	M1	M2	S1	S2	P1	P2	C	USR
RANGE	.05	.01	0.15	0.2	.05	.01	0.5	
0-6								
6-30	0.1	0.2	0.15	0.25	0.1	0.15	1	
30-80	.15	0.25	0.2	0.3	0.2	0.4	2	
80-180	.15	0.3	0.25	0.45	0.4	0.8	3	
180-315	0.2	0.5	0.4	0.6	0.6	1.2	3	
315-800	0.3	0.8	0.7	1.1	0.8	1.5	4	
ANG. TOL#	0°-30°	0.2°	30°-60°	0.5°	60°-90°	1°		

MODEL		DESCRIPTION	
DATE	2010/10/2	DWG NO.	2.5" SSD IDE ASS'Y (STAINLESS + PLASTIC) (REV)
DRN	MAX	P/N NO.	
CKD			
APPD	趙海威		
SCALE	1/1	REV	1.0
DIM	MM	SCALE	1/1
SIZE	A4		
Everton Technology			

MARK	REV	DESCRIPTION	SIGN	DATE

NOTES: 1. MATERIAL: ENGINEERING PLASTIC, LCP WITH 30% G.F., UL94V-0 RATED, COLOR BLACK.
 2. FINISH:
 - UNDERPLATING: 1.27um (50u") NICKEL UNDERPLATING
 - CONTACT AREA: 0.25um(10u")Au IN CONTACT AREA OVER NICKEL UNDERPLATING.
 - SOLDERING ZONE: 3.0um(120u") MIN. 100% TIN PLATING OVER NICKEL UNDERPLATING.
 3. USING ALL MATERIAL TO ACCORD WITH ROHS CODE.



TOL±	✓	M1	M2	SI	S2	P1	P2	C	USR	MODEL	DESCRIPTION	DWG NO.	REV	
RANGE										ET1-01-01	IDE 50pin connector	ET101-013010	1.0	
0~6	.05	0.1	0.15	0.2	.05	0.1	0.15	1		DATE	07/11/2007	ET101-013010	SCALE	
6~30	0.1	0.2	0.15	0.25	0.1	0.15	1	2		DRN	yjng	ET101-1013010	2/1	
30~80	.15	0.25	0.2	0.3	0.2	0.4	2	3		CKD			DIM	
80~180	.3	0.45	0.4	0.8	0.8	3		4		APPD			MM	
180~315	0.2	0.5	0.4	0.6	0.6	1.2	3						SIZE	
315~800	0.3	0.8	0.7	1.1	0.8	1.5	4						A4	
ANG. TOL±	0~30'	0.2'	130~60'	0.5'	60~30'									

PCB LAYOUT

EVERTRON