




2	STUD	M2X1.85mm
1	TOP COVER	SECC t=0.6mm,Silver painting
P/N	PART NAME	Description

TOL ±	M1	M2	S1	S2	P1	P2	C	USR	MODEL	DESCRIPTION
RANGE	0~6	.05	0.1	0.15	0.2	.05	0.1	0.5	DATE	2014/12/01
	6~30	0.1	0.2	0.15	0.25	0.1	0.15	1	DRN	MAX
	30~80	.15	0.25	0.2	0.3	0.2	0.4	2	CKD	
	80~180	.15	0.3	0.25	0.45	0.4	0.8	3	APPD	I
	180~315	0.2	0.5	0.4	0.6	0.6	1.2	3		
	315~800	0.3	0.8	0.7	1.1	0.8	1.5	4		
ANG. TOL ±	0°~30°	0.2°	30°~60°	0.5°	60°~90°	1°				

DATE	2014/12/01	DWG NO.		REV	1.0
DRN	MAX	P/N NO.	CASE-TB12-1	SCALE	1/1
CKD				DIM	MM
APPD	I			SIZE	A4


EVERTRON







1	BOT COVER	SECC t=0.6mm,Silver painting
P/N	PART NAME	Description

TOL ±	M1	M2	S1	S2	P1	P2	C	USR	MODEL	DESCRIPTION
0~6	.05	0.1	0.15	0.2	.05	0.1	0.5			2.5" SSD SATA BOT ASS'Y_Silver painting_5.0mm
6~30	0.1	0.2	0.15	0.25	0.1	0.15	1		DATE	2014/12/01
30~80	.15	0.25	0.2	0.3	0.2	0.4	2		DWG NO.	
80~180	.15	0.3	0.25	0.45	0.4	0.8	3		DRN	MAX
180~315	0.2	0.5	0.4	0.6	0.6	1.2	3		P/N NO.	CASE-BB12-1
315~800	0.3	0.8	0.7	1.1	0.8	1.5	4		CKD	
ANG. TOL ±	0°~30°	0.2°	30°~60°	0.5°	60°~90°	1°			APPD	I

EVERTRON 

REV	1.0	DIM	MM
SCALE	1/1	SIZE	A4







RECOMMENDED P.C. B LAYOUT
THICKNESS=1.0mm

TABLE 1

ET-SATA-22L-763	GOLD FLASH	LCP BLACK	
ET-SATA-22L-764	15 U" GOLD	LCP BLACK	
ET-SATA-22L-765	30 U" GOLD	LCP BLACK	
PART NO.	PLATED	PLASTIC&COLOR	NOTE

NOTE:

- MATERIAL:
HOUSING:HIGH TEMPERATURE THERMOPLASTIC,UL94V-0
COVER:HIGH TEMPERATURE THERMOPLASTIC,UL94V-0
TERMINAL:COPPER ALLOY,THICKNESS = 0.25 mm
FORLOCK:COPPER ALLOY,THICKNESS = 0.30 mm
- PLATING:
CONTACT:GOLD OVER 50u" MIN NICKEL UNDERPLATE
SOLDER TAIL:75u"MIN TIN 50u" MIN NICKEL UNDERPLATE
GOLD SPECIFICATION:SEE TABLE,
- ELECTRONICAL SPECIFICATION:
CURRENT RATING:1.5 AMPERE PER CONTACT
CONTACT RESISTANCE:30 MILLIOHMS MAX.
INSULATION RESISTANCE:1000 MEGOHMS MIN.
DIELECTRIC WITHSTANDING VOLTAGE:500 VDC.
OPERATING TEMPERATURE:-20C~+85C



SECTION B-B

DIMENSION ARE
MILLIMETERS
TOLERANCES ARE :
DECIMALS
.X i0 0.30
.XX i0 0.25
ANGLE:
X ± 3°

APPROVALS		DATE
DRAWN	GARY	12/03/08
CHECKED		
APPROVALS		

EVERTRON

TITLE: SATA 22P 公頭沉板式

SIZE	SCALE :	DRAWING NO.	REV.
mm	1 : 1	ET-SATA-22L-XXX	A0
ID NO.	XXXXXXXXXX	SHEET 1 OF 1	